

## Genefish: an alternate metagenomic approach for capturing targeted bacterial diversity in an engineered recipient E. coli strain

Nathalie Lombard, Aurélie Faugier, Céline Lavire, Samuel Jacquiod, Laurent L. Philippot, Xiaojun Zhang, Jean-Claude Lazzaroni, Pascal Simonet, Laure Franqueville

#### ▶ To cite this version:

Nathalie Lombard, Aurélie Faugier, Céline Lavire, Samuel Jacquiod, Laurent L. Philippot, et al.. Genefish: an alternate metagenomic approach for capturing targeted bacterial diversity in an engineered recipient E. coli strain. BAGECO 10 Bacterial Genetics and Ecology: coexisting on a changing planet, Jun 2009, Uppsala, Sweden. 1 p. hal-02757300


#### HAL Id: hal-02757300 https://hal.inrae.fr/hal-02757300

Submitted on 4 Jun 2020

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.





### BAGECO 10

Bacterial Genetics and Ecology - Coexisting on a Changing Planet

15-19 June 2009 • Uppsala • Sweden

Program & Abstract









### We thank all our sponsors for their contribution!

#### Gold sponsors



The Swedish Research Council for Environment, Agricultural Sciences and Spatial Planning



Swedish University of Agricultural Sciences



#### Silver sponsors





#### Exhibitors







#### **Local Organizing Committee**

Professor Janet Jansson

Department of Microbiology, Swedish University of Agricultural Sciences, Uppsala, Sweden (<u>ianet.jansson@mikrob.slu.se</u>)
Senior Staff Scientist, Lawrence Berkeley National Laboratory, Berkeley, CA, USA (<u>irjansson@lbl.gov</u>)

**Stefan Bertilsson**, Uppsala University **Susanne Broqvist**, SLU **Sara Hallin**, SLU

#### **Conference Secretariat**

Academic Conferences SLU & Uppsala University in cooperation

Tel: +46 18 67 20 84 e-mail: <u>bageco@slu.se</u>



# GENEFISHING: AN ALTERNATE METAGENOMIC APPROACH FOR CAPTURING TARGETED BACTERIAL DIVERSITY IN AN ENGINEERED RECIPIENT *E. COLI* STRAIN

Nathalie Lombard<sup>1</sup>, Aurélie Faugier<sup>1</sup>, Céline Lavire<sup>1</sup>, <u>Laure Franqueville</u><sup>1</sup>, Samuel Jacquiod<sup>1</sup>, Laurent Philippot<sup>2</sup>, Xiaojun Zhang<sup>1</sup>, Jean Claude Lazzaroni<sup>3</sup> and Pascal Simonet<sup>1</sup>

- <sup>1</sup> Environmental Microbial Genomics Group, Laboratoire AMPERE, UMR CNRS 5005, Ecole Centrale de Lyon, Université de Lyon, 36 avenue Guy de Collongue, 69134 Ecully cedex, France
- <sup>2</sup> Unité de Microbiologie, Adaptation et Pathogénie, UMR5240, Université de Lyon, 69622 Villeurbanne cedex, France
- <sup>3</sup> Microbiologie des Sols-Géosols UMRA 111, CMSE, Institut National de la Recherche Agronomique, 21065 Dijon cedex, France

The metagenomic approach, defined as the direct recovery and cloning of bacterial DNA from the environment in domesticated bacterial hosts has been widely used to study bacterial populations and their functional genes in numerous environments. The advantage of this approach over conventional culture based techniques is that it encompasses a wider range of bacteria by bypassing the bias of uncultivability of more than 99% of the bacteria in soil. However, in complex and rich environments such as soils, the huge level of bacterial diversity requires construction, handling and screening of several million clones in order to cover a significant proportion of bacterial genes in the indigenous community. These methods are time and money consuming, and require access to specialized robots that are unavailable to most microbial ecology laboratories. Our objectives were to develop an alternative metagenomic approach in which only bacterial recombinant clones harbouring inserts with sequence based selected genes could develop on growth media. This positive screening technology, called "Genefish" is based on homeologous recombination to extract specific genes from the metagenome into the specifically engineered recipient E. coli strain. The key characteristic of this approach is the use of two inducible lethal genes to kill non recombinant bacteria. We will present molecular details of this "Genefish" recipient E. coli strain and our first results of its in vitro and in situ use to extract denitrification related genes from the soil metagenome.